Davis SM, Lambert LC, Gomez Y, Skipper BJ. Southwest Cardiovascular Curriculum Project: study findings for American Indian elementary students. *Journal of Health Education* 1995b;26(2):S72–S81.

Davis BJ, Voegtle KH. Culturally Competent Health Care for Adolescents: A Guide for Primary Care Providers. Chicago: American Medical Association, Department of Adolescent Health, 1994.

DiFranza JR, Brown LJ. The Tobacco Institute's "It's the Law" campaign: has it halted illegal sales of tobacco to children? *American Journal of Public Health* 1992;82(9):1271–3.

DiFranza JR, Savageau JA, Aisquith BF. Youth access to tobacco: the effects of age, gender, vending machine locks, and "It's the Law" programs. *American Journal of Public Health* 1996;86(2):221–4.

Dusenbury L, Botvin GJ. Substance abuse prevention: competence enhancement and the development of positive life options. *Journal of Addictive Diseases* 1992;11(3):29–45.

Edwards NC, MacMillan K. Tobacco use and ethnicity: the existing data gap. *Canadian Journal of Public Health* 1990;81(Jan-Feb):32–6.

Elder JP, Edwards C, Conway TL. Independent Evaluation of Proposition 99-Funded Efforts to Prevent and Control Tobacco Use in California [annual report]. Submitted to California Department of Health Services, Tobacco Control Section. San Diego (CA): San Diego State University, Graduate School of Public Health, 1993a.

Elder JP, Edwards CC, Conway TL, Kenney E, Johnson CA, Bennett ED. Independent evaluation of the California tobacco education program. *Public Health Reports* 1996;111(4):353–8.

Elder JP, Wildey M, de Moor C, Sallis JF, Eckhardt L, Edwards C, et al. The long-term prevention of tobacco use among junior high school students: classroom and telephone interventions. *American Journal of Public Health* 1993b;83(9):1239–44.

Ellis GA, Reed DF, Scheider H. Mobilizing a low-income African American community around tobacco control: a force field analysis. *Health Education Quarterly* 1995;22(4):443–57.

Ewert D, Alleyne D. Risk of exposure to outdoor advertising of cigarettes and alcohol [letter]. *American Journal of Public Health* 1992;82(6):895–6.

Farquhar JW, Fortmann SP, Flora JA, Taylor CB, Haskell WL, Williams PT, et al. Effects of community-wide education on cardiovascular disease risk factors: the Stanford Five-City Project. *Journal of the American Medical Association* 1990;264(3):359–65.

Farquhar JW, Fortmann SP, Maccoby N, Haskell WL, Williams PT, Flora JA, et al. The Stanford Five-City Project: design and methods. *American Journal of Epidemiology* 1985;122(2):323–34.

Federal Register. US Department of Health and Human Services, Food and Drug Administration. Regulations restricting the sale and distribution of cigarettes and smokeless tobacco to protect children and adolescents; final rule (21 CFR Parts 801, 803, 804, 807, 820, and 897), 61 Federal Register 44396 (1996).

Federal Trade Commission. Report to Congress: Pursuant to the Federal Cigarette Labeling and Advertising Act. Washington (DC): Federal Trade Commission, 1997.

Feighery E, Altman DG, Shaffer G. The effects of combining education and enforcement to reduce tobacco sales to minors: a study of four northern California communities. *Journal of the American Medical Association* 1991;266(22):3168–71.

Fiore MC, Novotny TE, Pierce JP, Giovino GA, Hatziandreu EJ, Newcomb PA, et al. Methods used to quit smoking in the United States: do cessation programs help? *Journal of the American Medical Association* 1990;263(20):2760–5.

Fiore MC, Bailey WC, Cohen SJ, Dorfman SF, Goldstein MG, Gritz ER, et al. *Smoking Cessation. Clinical Practice Guideline No. 18*. Rockville (MD): US Department of Health and Human Services, Public Health Service, Agency for Health Care Policy and Research. AHCPR Publication No. 96-0692, 1996.

Flay BR, Ockene JK, Tager IB. Smoking: epidemiology, cessation, and prevention. *Chest* 1992;102(3):2775–301S.

Food & Drink Daily. Black-led group targets alcohol and tobacco ads. Food & Drink Daily 1991;1(8):3.

Forster JL, Hourigan M, McGovern P. Availability of cigarettes to underage youth in three communities. *Preventive Medicine* 1992;21(3):320–8.

Fortmann SP, Taylor CB, Flora JA, Jatulis DE. Changes in adult cigarette smoking prevalence after 5 years of community health education: the Stanford Five-City Project. *American Journal of Epidemiology* 1993; 137(1):82–96.

Frank E, Winkleby MA, Altman DG, Rockhill B, Fortmann SP. Predictors of physicians' smoking cessation advice. *Journal of the American Medical Association* 1991;266(22):3139–44.

Gerlach KK, Shopland DR, Hartman AM, Gibson JT, Pechacek TF. Workplace smoking policies in the United States: results from a national survey of more than 100,000 workers. *Tobacco Control* 1997;6(3):199–206.

Glasgow RE, Lichtenstein E, Wilder D, Hall R, McRae SG, Liberty B. The Tribal Tobacco Policy Project: working with northwest Indian tribes on smoking policies. *Preventive Medicine* 1995;24(5):434–40.

Glynn TJ. Essential elements of school-based smoking prevention programs. *Journal of School Health* 1989; 59(5):181–8.

Glynn TJ, Anderson DM, Schwarz L. Tobacco-use reduction among high-risk youth: recommendations of a National Cancer Institute Expert Advisory Panel. *Preventive Medicine* 1991;20(2):279–91.

Glynn TJ, Boyd GM, Gruman JC. Self-Guided Strategies for Smoking Cessation: A Program Planner's Guide. Washington (DC): US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, Smoking and Tobacco Control Program. NIH Publication No. 91-3104, 1990.

Glynn TJ, Manley MW. How To Help Your Patients Stop Smoking: A National Cancer Institute Manual for Physicians. Washington (DC): US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, Division of Cancer Prevention and Control, Smoking and Tobacco Control Program. NIH Publication No. 92-3064, 1992.

Gonzalez VM, Gonzalez JT, Freeman V, Howard-Pitney B. Health Promotion in Diverse Cultural Communities. Palo Alto (CA): Health Promotion Resource Center, Stanford Center for Research in Disease Prevention, 1991.

Graham JW, Johnson CA, Hansen WB, Flay BR, Gee M. Drug use prevention programs, gender, and ethnicity: evaluation of three seventh-grade Project SMART cohorts. *Preventive Medicine* 1990;19(3):305–13.

Grossman M. Health benefits of increases in alcohol and cigarette taxes. *British Journal of Addiction* 1989; 84(10):1193–1204.

Hahn LP, Folsom AR, Sprafka JM, Norsted SW. Cigarette smoking and cessation behaviors among urban blacks and whites. *Public Health Reports* 1990;105 (3):290–5.

Hall RA, Lichtenstein E, Burhansstipanov L, Davis SM, Hodge F, Schinke S, et al. Tobacco use policies and practices in diverse Indian settings. *American Indian Culture and Research Journal* 1995;19(3):165–80.

Health and Public Policy Committee, American College of Physicians. Methods for stopping cigarette smoking. *Annals of Internal Medicine* 1986;105(2):281–91.

Hodge FS, Cummings S, Fredericks L, Kipnis P, Williams M, Teehee K. Prevalence of smoking among adult American Indian clinic users in northern California. *Preventive Medicine* 1995;24(5):441–6.

Hodge FS, Fredericks L, Kipnis P. Patient and smoking patterns in northern California American Indian clinics. Urban and rural contrasts. *Cancer* 1996;78(7 Suppl):1623–8.

Hofstede G. Culture's Consequences: International Differences in Work-Related Values. Beverly Hills (CA): Sage Publications, 1980.

Hopkins RS. Insurance coverage and usage of preventive health services. *Journal of the Florida Medical Association* 1993;80(8):529–32.

Hymowitz N, Jackson J, Carter R, Eckholdt H. Past quit smoking assistance and doctors' advice for white and African-American smokers. *Journal of the National Medical Association* 1996;88(4):249–52.

Jackson C, Flora JA, Winkleby MA, Fortmann SP. Use of educational resources for cardiovascular risk reduction in the Stanford Five-City Project. *American Journal of Preventive Medicine* 1991;7(2):82–8.

Jackson DZ. Making money by any means necessary. *Boston Globe* 1995 Feb 1;Sect OP-ED:13.

Jason LA, Billows WD, Schnopp-Wyatt DL, King C. Long-term findings from Woodridge in reducing illegal cigarette sales to older minors. *Evaluation and the Health Professions* 1996;19(1):3–13

Jason LA, Ji PY, Anes MD, Birkhead SH. Active enforcement of cigarette control laws in the prevention of cigarette sales to minors. *Journal of the American Medical Association* 1991;266(22):3159–61.

Jason LA, Tait E, Goodman D, Buckenberger L, Gruder CL. Effects of a televised smoking cessation intervention among low-income and minority smokers. *American Journal of Community Psychology* 1988;16(6):863–76.

Jenkins CNH, McPhee SJ, Bird JA, Bonilla N-TH. Cancer risks and prevention practices among Vietnamese refugees. *Western Journal of Medicine* 1990;153(1):34–9.

Jenkins CNH, McPhee SJ, Le A, Pham GQ, Ha N-T, Stewart S. The effectiveness of a media-led intervention to reduce smoking among Vietnamese-American men. *American Journal of Public Health* 1997;87 (6):1031–4.

Jung C. Smoking dies hard in Asian businesses: Santa Clara County cuts tobacco control funding. San Jose Mercury News 1993 July 6;Sect B:1.

Kaplan RM, Pierce JP, Gilpin EA, Johnson M, Bal DG. Stages of smoking cessation: the 1990 California Tobacco Survey. *Tobacco Control* 1993;2(2):139–44.

Keay KD, Woodruff SI, Wildey MB, Kenney EM. Effect of a retailer intervention on cigarette sales to minors in San Diego County, California. *Tobacco Control* 1993;2(2):145–51.

Keeler TE, Hu T-W, Barnett PG, Manning WG. Taxation, regulation, and addiction: a demand function for cigarettes based on time-series evidence. *Journal of Health Economics* 1993;12(1):1–18.

Klonoff EA, Fritz JM, Landrine H, Riddle RW, Tully-Payne L. The problem and sociocultural context of single-cigarette sales. *Journal of the American Medical Association* 1994;271(8):618–20.

Klonoff EA, Landrine H, Alcaraz R. An experimental analysis of sociocultural variables in sales of cigarettes to minors. *American Journal of Public Health* 1997; 87(5):823–6.

Kogan MD, Kotelchuck M, Alexander GR, Johnson WE. Racial disparities in reported prenatal care advice from health care providers. *American Journal of Public Health* 1994;84(1):82–8.

Kottke TE, Willms DG, Solberg LI, Brekke ML. Physician-delivered smoking cessation advice: issues identified during ethnographic interviews. *Tobacco Control* 1994;3(1):46–9.

Lacey LP, Manfredi C, Balch G, Warnecke RB, Allen K, Edwards C. Social support in smoking cessation among black women in Chicago public housing. *Public Health Reports* 1993;108(3):387–94.

Lacey L, Tukes S, Manfredi C, Warnecke RB. Use of lay health educators for smoking cessation in a hard-to-reach urban community. *Journal of Community Health* 1991;16(5):269–82.

Lando HA, Johnson KM, Graham-Tomasi RP, McGovern PG, Solberg L. Urban Indians' smoking patterns and interest in quitting. *Public Health Reports* 1992;107(3):340–4.

Landrine H, Klonoff EA, Fritz JM. Preventing cigarette sales to minors: the need for contextual, sociocultural analysis. *Preventive Medicine* 1994;23(3):322–7.

Landrine H, Klonoff EA, Alcaraz R. Racial discrimination in minors' access to tobacco. *Journal of Black Psychology* 1997;23(2):135–47.

Lichtenstein E, Glasgow RE. Smoking cessation: what have we learned over the past decade? *Journal of Consulting and Clinical Psychology* 1992;60(4):518–27.

Lichtenstein E, Glasgow RE, Lopez K, Hall R, McRae SG, Meyers GB. Promoting tobacco control policies in Northwest Indian tribes. *American Journal of Public Health* 1995;85(7):991–4.

Lieberman Research Inc. Non-Whites' Participation in the 1993 Great American Smokeout. New York: Lieberman Research Inc., conducted for the American Cancer Society, 1993.

Lieu TA, Newacheck PW, McManus MA. Race, ethnicity, and access to ambulatory care among US adolescents. *American Journal of Public Health* 1993; 83(7):960–5.

Lynch BS, Bonnie RJ, editors. *Growing Up Tobacco Free: Preventing Nicotine Addiction in Children and Youths.* Washington (DC): National Academy Press, 1994.

Manfredi C, Lacey L, Warnecke R, Buis M. Smoking-related behavior, beliefs, and social environment of young Black women in subsidized public housing in Chicago. *American Journal of Public Health* 1992;82(2): 267–72.

Marín G. Defining culturally appropriate community interventions: Hispanics as a case study. *Journal of Community Psychology* 1993;21(2):149–61.

Marín G. Self-reported awareness of the presence of product warning messages and signs by Hispanics in San Francisco. *Public Health Reports* 1994;109(2):275–83.

Marín G. Perceptions by Hispanics of channels and sources of health messages regarding cigarette smoking. *Tobacco Control* 1996;5(1):30–6.

Marín G, Marín BV, Otero-Sabogal R, Sabogal F, Pérez-Stable EJ. The role of acculturation in the attitudes, norms, and expectancies of Hispanic smokers. *Journal of Cross-Cultural Psychology* 1989;20(4):399–415.

Marín BV, Marín G, Pérez-Stable EJ, Hauck WW. Effects of a community intervention to change smoking behavior among Hispanics. *American Journal of Preventive Medicine* 1994;10(6):340–7.

Marín BV, Marín G, Pérez-Stable EJ, Otero-Sabogal R, Sabogal F. Cultural differences in attitudes toward smoking: developing messages using the theory of reasoned action. *Journal of Applied Social Psychology* 1990a;20(6):478–93.

Marín G, Marín BV, Pérez-Stable EJ, Sabogal F, Otero-Sabogal R. Changes in information as a function of a culturally appropriate smoking cessation community intervention for Hispanics. *American Journal of Community Psychology* 1990b;18(6):847–64.

Marín G, Marín BV, Pérez-Stable EJ, Sabogal F, Otero-Sabogal R. Cultural differences in attitudes and expectancies between Hispanic and non-Hispanic white smokers. *Hispanic Journal of Behavioral Sciences* 1990c;12(4):422–36.

Marín G, Pérez-Stable EJ. Effectiveness of disseminating culturally appropriate smoking-cessation information: Programa Latino Para Dejar de Fumar. *Journal of the National Cancer Institute Monographs* 1995;18:155–63.

Marttila & Kiley, Inc. Highlights from an American Cancer Society Survey of U.S. Voter Attitudes Toward Cigarette Smoking. Boston: Marttila & Kiley, Inc., 1993.

McAlister A, Puska P, Salonen JT, Tuomilehto J, Koskela K. Theory and action for health promotion: illustrations from the North Karelia Project. *American Journal of Public Health* 1982;72(1):43–50.

McAlister AL, Ramirez AG, Amezcua C, Pulley L, Stern MP, Mercado S. Smoking cessation in Texas-Mexico border communities: a quasi-experimental panel study. *American Journal of Health Promotion* 1992;6(4):274–9.

McPhee SJ, Jenkins CNH, Anh L. Smoking Prevention and Cessation Among Vietnamese in Northern California: Final Report. Sacramento (CA): Report submitted to the Tobacco Control Section, Department of Health Services, State of California, 1993.

McPhee SJ, Jenkins CNH, Wong C, Fordham D, Lai KQ, Bird JA, Moskowitz JM. Smoking cessation intervention among Vietnamese Americans: a controlled trial. *Tobacco Control* 1995;4(1 Suppl):16S–24S.

Moncher M, Schinke S. Group intervention to prevent tobacco use among Native American youth. *Research on Social Work Practice* 1994;4(2):160–71.

National Cancer Institute. Strategies to Control Tobacco Use in the United States: A Blueprint for Public Health Action in the 1990's. Smoking and Tobacco Control Monograph No. 1. Bethesda (MD): US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute. NIH Publication No. 92-3316, 1991.

National Cancer Institute. Datos Sobre el Hábito de Fumar y Recomendaciones Para Dejar de Fumar (Smoking: Facts and Quitting Tips for Hispanics). Washington (DC): US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute. NIH Publication No. 92-3405S, 1992a.

National Cancer Institute. *Smoking: Facts and Quitting Tips for Black Americans*. Washington (DC): US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute. NIH Publication No. 92-3405, 1992b.

National Cancer Institute. *Tobacco and the Clinician: Interventions for Medical and Dental Practice*. Washington (DC): US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute. NIH Publication No. 94-3693, 1994.

National High Blood Pressure Education Program. Churches as an Avenue to High Blood Pressure Control. Washington (DC): US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Heart, Lung, and Blood Institute, National High Blood Pressure Education Program. NIH Publication No. 92-2725, 1992.

Nestle M, Cowell C. Health promotion for low-income minority groups: the challenge for nutrition education. Health Education Research: *Theory & Practice* 1990; 5(4):527–33.

Nevid JS, Javier RA. "Si, puedo" smoking cessation program for Hispanic smokers. Paper presented at the Fourth National Forum on Cardiovascular Health, Pulmonary Disorders, and Blood Resources, Minority Health Issues for an Emerging Majority, Washington, DC, June 1992.

O'Campo P, Faden RR, Brown H, Gielen AC. The impact of pregnancy on women's prenatal and postpartum smoking behavior. *American Journal of Preventive Medicine* 1992;8(1):8–13.

O'Connor C, editor. State Legislated Actions on Tobacco Issues. Washington (DC): The Coalition on Smoking OR Health, 1992.

Orlandi MA, editor. Cultural Competence for Evaluators: A Guide for Alcohol and Other Drug Abuse Prevention Practitioners Working With Ethnic/Racial Communities. Office for Substance Abuse Prevention Cultural Competence Series 1. Rockville (MD): US Department of Health and Human Services, Public Health Service, Alcohol, Drug Abuse, and Mental Health Administration, Office for Substance Abuse Prevention, Division of Community Prevention and Training. DHHS Publication No. (ADM) 92-1884, 1992.

Orleans CT, Schoenbach VJ, Salmon MA, Strecher VJ, Kalsbeek W, Quade D, et al. A survey of smoking and quitting patterns among black Americans. *American Journal of Public Health* 1989;79(2):176–81.

Otero-Sabogal R, Sabogal F. La Mujer: La Familia y el Cigarrillo. San Francisco: American Lung Association of San Francisco, 1991.

Pérez-Stable EJ, Marín BV, Marín G. A comprehensive smoking cessation program for the San Francisco Bay Area Latino Community: Programa Latino Para Dejar de Fumar. *American Journal of Health Promotion* 1993; 7(6):430–42, 475.

Pérez-Stable EJ, Marín G, Marín BV. Behavioral risk factors: a comparison of Latinos and non-Latino whites in San Francisco. *American Journal of Public Health* 1994;84(6):971–6.

Pérez-Stable EJ, Sabogal F, Marín G, Marín BV, Otero-Sabogal R. Evaluation of "Guía Para Dejar de Fumar," a self-help guide in Spanish to quit smoking. *Public Health Reports* 1991;106(5):564–70.

Pérez-Stable EJ, Sabogal F, Otero-Sabogal R, Hiatt RA, McPhee SJ. Misconceptions about cancer among Latinos and Anglos. *Journal of the American Medical Association* 1992;288(22):3219–23.

Perry CL, Murray DM, Griffin G. Evaluating the state-wide dissemination of smoking prevention curricula: factors in teacher compliance. *Journal of School Health* 1990;60(10):501–4.

Peterson DE, Zeger SL, Remington PL, Anderson HA. The effect of state cigarette tax increases on cigarette sales, 1955 to 1988. *American Journal of Public Health* 1992;82(1):94–6.

Pierce JP, Cavin SW, Macky C, Rosbrook B, Berry CC, Maklan DM, et al. *Technical Report on Analytic Methods and Approaches Used in the 1992 California Tobacco Survey Analysis*. Sacramento (CA): California Department of Health Services, 1994a.

Pierce JP, Evans N, Farkas AJ, Cavin SW, Berry C, Kramer M, et al. *Tobacco Use in California: An Evaluation of the Tobacco Control Program*, 1989–1993. La Jolla (CA): University of California, San Diego, 1994b.

Pierce JP, Fiore MC, Novotny TE, Hatziandreu EJ, Davis RM. Trends in cigarette smoking in the United States: projections to the year 2000. *Journal of the American Medical Association* 1989;261(1):61–5.

Pletsch PK. Environmental tobacco smoke exposure among Hispanic women of reproductive age. *Public Health Nursing* 1994;11(4):229–35.

Prochaska JO. A transtheoretical model of behavior change: learning from mistakes with majority populations. In: Becker DM, Hill DR, Jackson JS, Levine DM, Stillman FA, Weiss SM, editors. Health Behavior Research in Minority Populations: Access, Design, and Implementation. Washington (DC): US Department of Health and Human Services, Public Health Service, National Institutes of Health. NIH Publication No. 92-2965, 1992:105.

Programa Latino Para Dejar de Fumar de San Francisco. El Fumar un Juego Peligroso . . . Guía Para Dejar de Fumar. San Francisco: Programa Latino Para Dejar de Fumar de San Francisco, 1992.

Programa Latino Para Dejar de Fumar de San Francisco. *Rompa Con el Vicio: Una Guía Para Dejar de Fumar.* Washington (DC): US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute. NIH Publication No. 94-3001, 1993.

Puska P, McAlister A, Niemensivu H, Piha T, Wiio J, Koskela K. A television format for national health promotion: Finland's "Keys to Health." *Public Health Reports* 1987;102(3):263–9.

Ramirez AG, McAlister AL. Mass media campaign—A Su Salud. *Preventive Medicine* 1988;17(5):608–21.

Reid DJ, Killoran AJ, McNeill AD, Chambers JS. Choosing the most effective health promotion options for reducing a nation's smoking prevalence. *Tobacco Control* 1992;3(1):185–97.

Rigotti NA, Pashos CL. No-smoking laws in the United States. *Journal of the American Medical Association* 1991;266(22):3162–7.

Roberts RN. Developing Culturally Competent Programs for Families of Children with Special Needs. 2nd ed. Washington (DC): Georgetown University Child Development Center and the Maternal and Child Health Bureau, 1990.

Robinson RG, Kessler LG, Naughton MD. Cancer awareness among African Americans: a survey assessing race, social status, and occupation. *Journal of the National Medical Association* 1991;83(6):491–7.

Robinson RG, Orleans CT, James DA, Sutton CD. *Pathways to Freedom: Winning the Fight Against Tobacco*. Philadelphia: Fox Chase Cancer Center, 1992. Reprinted with permission by the Centers for Disease Control and Prevention and the National Medical Association.

Robinson RG, Shelton DM, Hodge F, Lew R, Lopez E, Toy P, et al. Tobacco control capacity index for communities of color in the United States. In: Slama K, editor. *Tobacco and Health*. New York: Plenum Press, 1995:359–65.

Robinson RG, Sutton CD. The Coalition Against Uptown Cigarettes. In: Jernigan D, Wright PA, editors. *Making News, Changing Policy*. Washington (DC): US Office of Personnel Management, Center for Substance Abuse Prevention, and The Marin Institute for the Prevention of Alcohol and Other Drug Problems, in press.

Rogler LH, Malgady RG, Costantino G, Blumenthal R. What do culturally sensitive mental health services mean? the case of Hispanics. *American Psychologist* 1987;42(6):565–70.

Roper Center for Public Opinion Research. Attitudes on Smoking by Race. Telephone Survey Conducted from February 25 to 28, 1993. Storrs (CT): Roper Center for Public Opinion Research, University of Connecticut, conducted by ABC News/The Washington Post, 1993.

Royce JM, Ashford A, Resnicow K, Freeman HP, Caesar AA, Orlandi MA. Physician- and nurse-assisted smoking cessation in Harlem. *Journal of the National Medical Association* 1995;87(4):291–300.

Royce JM, Hymowitz N, Corbett K, Hartwell TD, Orlandi MA. Smoking cessation factors among African Americans and Whites. *American Journal of Public Health* 1993;83(2):220–6.

Sabogal F, Marín B, Marín G, Otero-Sabogal R, Pérez-Stable EJ. *Guía Para Dejar de Fumar: Por Su Salud y Su Familia*. Washington (DC): US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute. NIH Publication No. 88-3001, 1988.

Sabogal F, Marín G, Otero-Sabogal R, Marín BV, Pérez-Stable EJ. Hispanic familism and acculturation: what changes and what doesn't? *Hispanic Journal of Behavioral Sciences* 1987;9(4):397–412.

Sallis JF, Elder JP, Wildey MB, de Moor C, Young RL, Shulkin JL, et al. Assessing skills for refusing cigarettes and smokeless tobacco. *Journal of Behavioral Medicine* 1990;13(5):489–503.

Satcher D, Eriksen M. The paradox of tobacco control [editorial]. *Journal of the American Medical Association* 1994;271(8):627–8.

Satcher D, Robinson RG. The CDC and the NMA-partnerships to control tobacco in the African-American community. *Journal of the National Medical Association* 1994;86(7):493–6.

Schinke SP, Moncher MS, Singer BR. Native American youths and cancer risk reduction: effects of software intervention. *Journal of Adolescent Health* 1994; 15(2):105–10.

Schinke SP, Orlandi MA, Botvin GJ, Gilchrist LD, Trimble JE, Locklear VS. Preventing substance abuse among American-Indian adolescents: a bicultural competence skills approach. *Journal of Counseling Psychology* 1988;35(1):87–90.

Schinke SP, Singer B, Cole K, Contento IR. Reducing cancer risk among Native-American adolescents. *Preventive Medicine* 1996;25(2):146–55.

Schoenbach VJ, Orleans CT, Salmon MA, Quade D, Strecher VJ, Kalsbeek WD, et al. A self-help quit smoking program for black Americans. Paper presented at the 116th Annual Meeting of the American Public Health Association, Boston, November 16, 1988.

Schorling JB, Roach J, Siegel M, Buturka N, Hunt DE, Guterbock TM, Stewart HL. A trial of church-based smoking cessation interventions for rural African Americans. *Preventive Medicine* 1997;26(1):92–101.

Shelton DM, Merritt RK, Robinson RG. Tobacco control strategies. In: Slama K, editor. *Tobacco and Health*. New York: Plenum Press, 1995:367–74.

Sherwood D, Maroney N, Stubblebine WC. Assessing Public Support for No-Smoking Policies: A Survey of California Residents. Claremont (CA): The Claremont Graduate School, The Claremont Institute for Economic Policy Studies, January 1994.

Stillman FA, Bone LR, Rand C, Levine DM, Becker DM. Heart, body, and soul: a church-based smoking-cessation program for urban African Americans. *Preventive Medicine* 1993;22(3):335–49.

Stotts RC, Glynn TJ, Baquet CR. Smoking cessation among blacks. *Journal of Health Care for the Poor and Underserved* 1991;2(2):307–19.

Tiedje LB, Kingry MJ, Stommel M. Patient attitudes concerning health behaviors during pregnancy: initial development of a questionnaire. *Health Education Quarterly* 1992;19(4):481–93.

Tobacco Institute. *The Tax Burden on Tobacco. Historical Compilation, Volume 31*. Washington (DC): The Tobacco Institute, 1997.

Tomar SL, Husten CG, Manley MW. Do dentists and physicians advise tobacco users to quit? *Journal of the American Dental Association* 1996;127:259–65.

Townsend J, Roderick P, Cooper J. Cigarette smoking by socioeconomic group, sex, and age: effects of price, income, and health publicity. *British Medical Journal* 1994;309(6959):923–7.

Treviño FM, Moyer ME, Valdez RB, Stroup-Benham CA. Health insurance coverage and utilization of health services by Mexican Americans, mainland Puerto Ricans, and Cuban Americans. *Journal of the American Medical Association* 1991;265(2):233–7.

Triandis HC, Marín G, Lisansky J, Betancourt H. Simpatía as a cultural script of Hispanics. *Journal of Personality and Social Psychology* 1984;47(6):1363–75.

Uba L. Cultural barriers to health care for Southeast Asian refugees. *Public Health Reports* 1992;107(5):544–8.

US Congressional Budget Office. Federal Taxation of Tobacco, Alcoholic Beverages, and Motor Fuels. Washington (DC): Congress of the United States, US Congressional Budget Office, August 1990.

US Department of Health and Human Services. *Preventing Tobacco Use Among Young People. A Report of the Surgeon General.* Atlanta: US Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 1994.

US Department of Health and Human Services. You Can Quit Smoking: Consumer Guide. Clinical Practice Guideline No. 18. Rockville (MD): US Department of Health and Human Services, Public Health Service, Agency for Health Care Policy and Research. AHCPR Publication Nos. 96-0695 and 97-G003–G008, 1996 and 1997.

US Department of Health and Human Services. Synar Regulation Implementation: FY 97 State Compliance, Section I: Program Summary. Report to Congress. Rockville (MD): US Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Prevention, 1998.

US General Accounting Office. Hispanic Access to Health Care: Significant Gaps Exist. Gaithersburg (MD): US General Accounting Office, Program Evaluation and Methodology Division. GAO/PEMD-92-6, January 1992.

US General Accounting Office. Hispanics' Schooling: Risk Factors for Dropping Out and Barriers To Resuming Education. Gaithersburg (MD): US General Accounting Office, Program Evaluation and Methodology Division. GAO/PEMD-94-24, July 1994.

Vander Martin R, Cummings SR, Coates TJ. Ethnicity and smoking: differences in white, black, Hispanic, and Asian medical patients who smoke. *American Journal of Preventive Medicine* 1990;6(4):194–9.

Vega WA. Theoretical and pragmatic implications of cultural diversity for community research. *American Journal of Community Psychology* 1992;20(3):375–91.

Vietnamese Community Health Promotion Project. Lâm Thê' Nào Để Bỏ Hút Thuố'c? (How to Quit Smoking). San Francisco: The Vietnamese Community Health Promotion Project, University of California, San Francisco, Division of General Internal Medicine, 1990.

Voorhees CC, Stillman FA, Swank RT, Heagerty PJ, Levine DM, Becker DM. Heart, body, and soul: impact of church-based smoking cessation interventions on readiness to quit. *Preventive Medicine* 1996;25(3):277–85.

Warnecke RB, Flay BR, Kviz FJ, Gruder CL, Langenberg P, Crittenden KS, et al. Characteristics of participants in a televised smoking cessation intervention. *Preventive Medicine* 1991;20(3):389–403.

Warner KE, Chaloupka FJ, Cook PJ, Manning WG, Newhouse JP, Novotny TE, et al. Criteria for determining an optimal cigarette tax: the economist's perspective. *Tobacco Control* 1995;4(4):380–6.

Wasserman J. How effective are excise tax increases in reducing cigarette smoking [editorial]? *American Journal of Public Health* 1992;82(1):19–20.

Winkleby MA. The future of community-based cardiovascular disease intervention studies [editorial]. *Ameri*can Journal of Public Health 1994;84(9):1369–72.

Winkleby MA, Fortmann SP, Rockhill B. Trends in cardiovascular disease risk factors by educational level: the Stanford Five-City Project. *Preventive Medicine* 1992;21(5):592–601.

Winkleby MA, Schooler C, Kraemer HC, Lin J, Fortmann SP. Hispanic versus white smoking patterns by sex and level of education. *American Journal of Epidemiology* 1995;142(4):410–8.

List of Tables and Figures

Chapter 1 Introduction and Summary of Conclusions		Table 5.	able 5. Percentage of African American womer of reproductive age who reported being current cigarette smokers, overall and beducation, National Health Interview	
Table 1.	U.S. population distribution, by race/ ethnicity and Hispanic origin, and percentage change, 1980–1990 8	Table 6.	Surveys, United States, 1978–1995 aggregate data 28 Percentage of live-born infants' mothers who reported smoking during pregnancy, by year and race/ethnicity, U.S. final natality statistics, 1989–1995 29	
Table 2.	Selected demographic characteristics for the U.S. population, by race/ethnicity, 1990 9			
Table 3. Chapter 2	Estimated percentage distribution of the U.S. population, by race/ethnicity and Hispanic origin, 1990–2050 10	Table 7.	Trends in the percentage of high school seniors who were previous-month smokers, by race/ethnicity and gender, Monitoring the Future surveys, United States, 1976–1979, 1980–1984, 1985–1989, 1990–1994 32	
Patterns of Tobacco Use Among Four Racial/Ethnic Minority Groups		Table 8.	Percentage of African Americans and	
- Millionty C	Houps	lable 0.	whites 20–34 years of age who reported	
Table 1.	Percentage of adult African Americans who reported being current cigarette smokers, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978–1995 aggregate data 22		being current cigarette smokers, by age group and gender, National Health Interview Surveys, United States, 1978–1995 aggregate data 33	
		Table 9.	Percentage of African Americans and whites 20–24 years of age who reported being current cigarette smokers, by	
Table 2.	Percentage of adult African American smokers who reported smoking <15, 15–24, or ≥25 cigarettes per day, overall and by gender, age, and education,		education and gender, National Health Interview Surveys, United States, 1978–1995 aggregate data 34	
	National Health Interview Surveys, United States, 1978–1995 aggregate data 24	Table 10.	Percentage of African American and white high school seniors who reported recently using or not using cigarettes and other selected substances, Monitor-	
Table 3.	Percentage of adult African American ever smokers who have quit, overall and		ing the Future surveys, United States, 1976–1994 aggregate data 37	
	by gender, age, and education, National Health Interview Surveys, United States, 1978–1995 aggregate data 26	Table 11.	Cumulative percentages of recalled age at which a respondent first tried a	
Table 4.	Current cigarette smoking status among persons who reported that they were daily smokers 1 year before being surveyed, Current Population Survey National Cancer Institute Supplement, 1992–1993 27		cigarette and began smoking daily, among African American, Hispanic, and white men and women aged 30–39, National Household Surveys on Drug Abuse, United States, 1994–1995 40	

- Table 12. Percentage of African American and white high school seniors who reported previous-month and heavy smoking, by selected variables, Monitoring the Future surveys, United States, 1976-1994 42
- Table 13. Percentage of American Indian and Alaska Native adults who reported being current cigarette smokers, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978-1995 aggregate data 46
- Table 14. Percentage of adult American Indian and Alaska Native smokers who reported smoking <15, 15–24, or \geq 25 cigarettes per day, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978–1995 aggregate data 47
- Table 15. Percentage of adult American Indian and Alaska Native ever smokers who have quit, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978-1995 aggregate data 48
- Table 16. Percentage of American Indian and Alaska Native women of reproductive age who reported being current cigarette smokers, overall and by education, National Health Interview Surveys, United States, 1978–1995 aggregate data 49
- Table 17. Percentage of American Indian and Alaska Native adults who reported being current cigarette smokers, overall and by region/state, gender, age, and education, Behavioral Risk Factor Surveillance System, 1988-1992 aggregate data 50
- Table 18. Percentage of adult American Indian and Alaska Native smokers who reported smoking <15, 15–24, or \geq 25 cigarettes per day, overall and by region/state, gender, age, and education, Behavioral Risk Factor Surveillance System, 1988–1992 aggregate data 52

- Table 19. Percentage of adult American Indian and Alaska Native smokers who reported they quit smoking, overall and by region/state, gender, age, and education, Behavioral Risk Factor Surveillance System, 1988–1992 aggregate data 54
- Table 20. Percentage of American Indian and Alaska Native women of reproductive age who reported being current cigarette smokers, overall and by region/state, Behavioral Risk Factor Surveillance System, 1988–1992 aggregate data 56
- Table 21. Percentage of adult Asian Americans and Pacific Islanders who reported being current cigarette smokers, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978-1995 aggregate data 57
- Table 22. Percentage of adult Asian American and Pacific Islander smokers who reported smoking <15, 15–24, or \geq 25 cigarettes per day, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978-1995 aggregate data 58
- Table 23. Percentage of adult Asian American and Pacific Islander ever smokers who have quit, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978-1995 aggregate data 59
- Table 24. Percentage of adult Asian American and Pacific Islander women of reproductive age who reported being current cigarette smokers, overall and by education, National Health Interview Surveys, United States, 1978-1995 aggregate data 60
- Table 25. Percentage of Chinese and Vietnamese men who reported they smoke and the number of cigarettes they smoke per day, by age, education, annual household income, and level of acculturation, Behavioral Risk Factor Surveillance System, California, 1990 and 1991 aggregate data 62

- Table 26. Percentage of adult Asian Americans and Pacific Islanders who reported being current smokers, overall and by gender, age, and education, Screener Survey, California, 1990 and 1991 aggregate data 63
- Summary of selected findings on the Table 27. percentage of Asian American and Pacific Islander adults who smoke, overall and by gender, 1975–1995 64
- Table 28. Percentage of adult Hispanics who reported being current cigarette smokers, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978-1995 aggregate data 67
- Table 29. Percentage of adult Hispanic smokers who reported smoking <15, 15-24, or ≥25 cigarettes per day, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978-1995 aggregate data 68
- Table 30. Percentage of adult Hispanic ever smokers who have quit, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978–1995 aggregate data 70
- Table 31. Percentage of Hispanic women of reproductive age who reported being current cigarette smokers, overall and by education, National Health Interview Surveys, United States, 1978-1995 aggregate data 71
- Table 32. Percentage of self-reported cigarette brand use among adult current cigarette smokers, overall and by race/ethnicity and gender, National Health Interview Surveys (NHIS) 1978-1980 combined, Adult Use of Tobacco Survey (AUTS) 1986, and NHIS 1987 80
- Percentage of self-reported cigarette Table 33. brand use among adolescent current cigarette smokers, by race/ethnicity, Teenage Attitudes and Practices Survey (TAPS), 1989 and 1993 82

- Table 34. Relationship between smoking status and race/ethnicity among adults, before and after controlling for education, National Health Interview Surveys, United States, 1987, 1988, 1990, and 1991 aggregate data 84
- Table 35. Percentage of all adults and nonsmokers who reported levels of exposure to environmental tobacco smoke in the home, by race/ethnicity and gender, National Health Interview Surveys, United States, 1991-1993 aggregate data 87
- Table 36. Age-adjusted prevalence of current cigarette smoking among adults, overall and by race/ethnicity and gender, National Health Interview Surveys, United States, 1994 and 1995 aggregate data 88
- Table 37. Cigarette smoking status and number of cigarettes smoked per day among adults, overall and by race/ethnicity and gender, National Health Interview Surveys, United States, 1987, 1988, 1990, and 1991 aggregate data 90
- Table 38. Percentage of adults who reported using cigars, pipes, chewing tobacco, snuff, or any form of tobacco, overall and by race/ethnicity and gender, National Health Interview Surveys, United States, 1987 and 1991 aggregate data 92
- Percentage of white adults who reported Table 39. being current cigarette smokers, overall and by gender, age, and education, National Health Interview Surveys, United States, 1965-1995 98
- Percentage of adult white smokers who Table 40. reported smoking <15, 15–24, and \geq 25 cigarettes per day, overall and by gender, age, and education, National Health Interview Surveys, United States, 1965-1995 100
- Table 41. Percentage of adult white ever smokers who have quit, overall and by gender, age, and education, National Health Interview Surveys, United States, 1965-1995 104

- Table 42. Percentage of white women of reproductive age who reported being current cigarette smokers, overall and by education, National Health Interview Surveys, United States, 1965–1995 106
- Table 43. Percentage of white adults who reported being current cigarette smokers, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978–1995 aggregate data 107
- Table 44. Percentage of adult white smokers who reported smoking $<15, 15-24, \ge 25$ cigarettes per day, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978–1995 aggregate data 108
- Table 45. Percentage of adult white ever smokers who have quit, overall and by gender, age, and education, National Health Interview Surveys, United States, 1978–1995 aggregate data 110
- Table 46. Percentage of white women of reproductive age who reported being current cigarette smokers, overall and by education, National Health Interview Surveys, United States, 1978–1995 aggregate data 111
- Table 47. Percentage of adult African Americans who reported being current cigarette smokers, overall and by gender, age, and education, National Health Interview Surveys, United States, 1965–1995 112
- Table 48. Percentage of adult African American smokers who reported smoking <15, 15–24, or ≥25 cigarettes per day, overall and by gender, age, and education, National Health Interview Surveys, United States, 1965–1995 114
- Table 49. Percentage of adult African American ever smokers who have quit, overall and by gender, age, and education, National Health Interview Surveys, United States, 1965-1995 118
- Table 50. Percentage of African American women of reproductive age who reported being current cigarette smokers, overall and by education, National Health Interview Surveys, United States, 1965–1995 120

- Table 51. Sample sizes for birth cohorts, by gender, race/ethnicity, and education, National Health Interview Surveys, 1978–1980, 1987 and 1988 combined, and Hispanic Health and Nutrition Examination Survey, 1982–1984 122
- Table 52. Comparison of current smoking prevalence between reconstructed estimates from National Health Interview Surveys (NHISs), 1987 and 1988 combined, NHIS cross-sectional survey estimates, and Gallup poll estimates 124
- Figure 1. Trends in the prevalence of cigarette smoking among African American and white men and women, National Health Interview Surveys, United States, 1965-1995 23
- Figure 2. Trends in daily smoking among African American and white high school seniors, by gender, United States, 1977–1996 30
- Figure 3. Trends in daily smoking among African American, Hispanic, and white high school seniors, United States, 1977-1996 31
- Figure 4. Trends in smoking among African Americans and whites aged 20-34 years, United States, 1978–1995 35
- Figure 5. Use of cigarettes and alcohol among African American and white high school seniors, United States, 1976-1979 and 1990-1994 38
- Figure 6. Use of cigarettes and illicit drugs among African American and white high school seniors, United States, 1976-1979 and 1990-1994 39
- Figure 7. Cigarette smoking prevalence among successive birth cohorts of African American men, by education, National Health Interview Surveys, United States, 1978–1980, 1987, and 1988 75
- Figure 8. Cigarette smoking prevalence among successive birth cohorts of African American women, by education, National Health Interview Surveys, United States, 1978–1980, 1987, and 1988 76

- Figure 9. Cigarette smoking prevalence among successive birth cohorts of Hispanic men, by education, Hispanic Health and Nutrition Examination Survey, 1982–1984 77
- Figure 10. Cigarette smoking prevalence among successive birth cohorts of Hispanic women, by education, Hispanic Health and Nutrition Examination Survey, 1982–1984 77
- Figure 11. Reconstructed prevalence of smoking among African American adults aged 20–29 years, by gender and education, National Health Interview Surveys, United States, 1910–1988 78
- Figure 12. Reconstructed prevalence of smoking among Hispanic adults aged 20–29 years, by gender and education, Hispanic Health and Nutrition Examination Surveys, 1920–1984 79
- Figure 13. Trends in the age-adjusted prevalence of current cigarette smoking among African American, American Indian and Alaska Native, Asian American and Pacific Islander, Hispanic, and white adults, National Health Interview Surveys, United States, 1978–1995 aggregate data 88
- Figure 14. Trends in the age-adjusted prevalence of current cigarette smoking among African American, American Indian and Alaska Native, Asian American and Pacific Islander, Hispanic, and white men, National Health Interview Surveys, United States, 1978–1995 aggregate data 89
- Figure 15. Trends in the age-adjusted prevalence of current cigarette smoking among African American, American Indian and Alaska Native, Asian American and Pacific Islander, Hispanic, and white women, National Health Interview Surveys, United States, 1978–1995 aggregate data 89
- Figure 16. Comparison of smoking prevalence estimates from selected U.S. surveys, 1910–1991 123

Chapter 3 Health Consequences of Tobacco Use Among Four Racial/Ethnic Minority Groups

- Table 1. Death rates per 100,000 U.S. residents for malignant diseases of the respiratory system, by race/ethnicity and gender, United States, 1950–1995, selected years 139
- Table 2. Age-adjusted death rates for selected smoking-related causes of death, by race/ethnicity and gender, United States, 1992–1994 141
- Table 3. Death rates for lung cancer among American Indians and Alaska Natives, by Indian Health Service (IHS) area, 1984–1988 146
- Table 4. Age-adjusted death rates for selected smoking-related causes of death among Mexican Americans, Puerto Rican Americans, and Cuban Americans, United States, 1992–1994 148
- Table 5. Odds ratios for the risk of lung cancer, by gender, race/ethnicity, and smoking status, case-control study, New Mexico, 1980–1982 149
- Table 6. Age-adjusted incidence and death rates for selected smoking-related cancers, by race/ethnicity and gender, National Cancer Institute's Surveillance, Epidemiology, and End Results (SEER) Program, 1988–1992 150
- Table 7. Age-adjusted cancer death rates among American Indians and Alaska Natives at all 12 Indian Health Service areas, United States, 1984–1988 155
- Table 8. Odds ratios and 95% confidence intervals for the risk of oral cancer associated with cigarette smoking, by race/ethnicity and smoking status, 1984–1985 156
- Table 9. Odds ratios for the risk of urinary bladder cancer associated with smoking, by gender, race/ethnicity, and smoking status 157
- Table 10. Rates of selected infant outcomes, by mother's race/ethnicity, United States 168

- Table 11. Risk of sudden infant death syndrome associated with smoking, by race/ethnicity, selected studies, United States 170
- Table 12. Exposure to household smoke among children 5 years of age and younger and percentage distribution, by level of exposure since birth and selected characteristics, United States, 1988 173
- Table 13. Criteria for drug dependence 176
- Table 14. American Psychiatric Association diagnostic criteria for substance dependence 177
- Table 15. Human pharmacology of nicotine 178
- Table 16. Incidence of nicotine withdrawal symptoms, United States 179
- Table 17. Percentage of adult smokers who reported that they smoked their first cigarette within 10 minutes and within 30 minutes of awakening, by race/ethnicity and number of cigarettes smoked per day, National Health Interview Survey, United States, 1987—182
- Table 18. Percentage of men and women who considered smoking a habit or addiction, overall and by smoking status, Current Population Survey, United States, 1992–1993 184
- Figure 1. Incidence of cancer of the lung and bronchus, by race/ethnicity and gender, National Cancer Institute's Surveillance, Epidemiology, and End Results (SEER) Program, 1973–1994 138
- Figure 2. Age-adjusted lung cancer death rates among American Indian and Alaska Native men in selected states compared with rates among all U.S. men, 1968–1987 144
- Figure 3. Age-adjusted lung cancer death rates among American Indian and Alaska
 Native women in selected states compared with rates among all U.S. women,
 1968–1987 145

- Figure 4. SEER cancer incidence and U.S. death rates, 1988–1992, ratio of African American rate to white rate for all ages, by cancer site 154
- Figure 5. Serum cotinine levels by number of cigarettes smoked daily for African Americans, Mexican Americans, and whites, National Health and Nutrition Examination Survey, United States, 1988–1991 180

Chapter 4 Factors That Influence Tobacco Use Among Four Racial/Ethnic Minority Groups

Table 1. High school seniors' perceptions about the risks associated with cigarette smoking, Monitoring the Future surveys, United States, 1980–1989 230

Chapter 5 Tobacco Control and Education Efforts Among Members of Four Racial/Ethnic Minority Groups

- Table 1. Percentage of adult smokers who would like to stop smoking, by race/ethnicity and gender, National Health Interview Survey, United States, 1993 261
- Table 2. Adults' beliefs about the health effects of smoking, by race/ethnicity, gender, and smoking status, National Health Interview Survey, United States, 1992 264
- Table 3. Adults' beliefs about minors' ease in purchasing cigarettes and other tobacco products, by race/ethnicity, smoking status, and gender, Current Population Survey, United States, 1992–1993 267
- Table 4. Public support for and beliefs about policies regarding tobacco access and marketing, by selected characteristics, Robert Wood Johnson Foundation Youth Access Survey, 1994 270
- Table 5. Percentage of adult smokers who have received advice to quit smoking from either a medical doctor or a dentist, by race/ethnicity and gender, Current Population Survey, United States, 1992–1993 285

- Table 6. Percentage of adults who reported that no one is allowed to smoke anywhere inside the home, by race/ethnicity, smoking status, and gender, Current Population Survey, United States, 1992-1993 288
- Table 7. Percentage of adults who think that smoking should be allowed in some areas or not allowed at all in selected public locations, by race/ethnicity and smoking status, Current Population Survey, United States, 1992–1993 290
- Table 8. Percentage of adults who think that the advertising of tobacco products should be always allowed or not allowed at all, by race/ethnicity, smoking status, and gender, Current Population Survey, United States, 1992–1993 294

- Table 9. Percentage of Californians who support curtailment of tobacco advertising and promotion efforts, by race/ethnicity, 1992 295
- Table 10. Percentage of adults who think that giving away free tobacco samples should be always allowed or not allowed at all, by race/ethnicity, smoking status, and gender, Current Population Survey, United States, 1992–1993 296
- Table 11. Public beliefs about and support for policies related to nicotine and tobacco product regulation, Robert Wood Johnson Foundation Youth Access Survey, 1994 298
- Figure 1. Billboard used by the California Department of Health Services in targeting Hispanics to quit smoking 261

Glossary

ACS	American Cancer Society	DSM-IV™	Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition
AIDS	acquired immunodeficiency syndrome	ETS	environmental tobacco smoke
ALA	American Lung Association	FAO	Food and Agriculture Organization of the United Nations
APA	American Psychiatric Association		
ASSIST	American Stop Smoking Intervention Study	FDA	Food and Drug Administration
		FEV ₁	forced expiratory volume after one second
AUTS	Adult Use of Tobacco Survey Behavioral Risk Factor Surveillance System	FTC	Federal Trade Commission
BRFSS		G6PD	glucose-6-phosphate dehydrogenase
CARDIA	Coronary Artery Risk Development in (Young) Adults	GAO	U.S. General Accounting Office
		GAS	Great American Smokeout
CDC	Centers for Disease Control and Prevention	HHANES	Hispanic Health and Nutrition Examination Survey
CES-D	Center for Epidemiological Studies Depression Scale	НМО	health maintenance organization
CHD	coronary heart disease	HRSA	Health Resources and Services Administration
CI	confidence interval	ICD	Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death
CIS	Cancer Information Service		
COMMIT	Community Intervention Trial for Smoking Cessation	ICD-9	International Classification of Diseases, Ninth Revision
COPD	chronic obstructive pulmonary disease	IHD	ischemic heart disease
COSSMHO	National Coalition of Hispanic Health and Human Services Organizations	IHS	Indian Health Service
		LBW	low birth weight
COST	Churches Organized to Stop Tobacco	LST	Life Skills Training
CPS	Current Population Survey	MTF	Monitoring the Future surveys
CPS-I	Cancer Prevention Study I	MTV	Music Television
DNA	deoxyribonucleic acid	NAAAPI	National Association of African Americans for Positive Imagery
DOC DSM-III™	Doctors Ought to Care Diagnostic and Statistical Manual of Mental Disorders, Third Edition	NAACP	National Association for the Advancement of Colored People
		NBLIC	National Black Leadership Initiative on Cancer

NCHS	National Center for Health Statistics	SAIAN	Survey of American Indians and Alaska Natives
NCI	National Cancer Institute		
NHANES I	National Health and Nutrition Examination Survey I	SEER	Surveillance, Epidemiology, and End Results Program
NHANES II	National Health and Nutrition Examination Survey II	SESUDAAN	Standard Errors Program for Computing of Standardized Rates from Sample Survey Data
NHANES III	National Health and Nutrition Examination Survey III	SHOUT	Students Helping Others Understand Tobacco
NHEFS	NHANES I Epidemiologic Follow-up Study	SIDS	sudden infant death syndrome
NHIS	National Health Interview Survey	SMART	Self-Management and Resistance Training
NHSDA	National Household Survey on Drug Abuse	STAT	Stop Teenage Addiction to Tobacco
NIDA	National Institute on Drug Abuse	SUDAAN	Professional Software for Survey Data Analysis
NMA	National Medical Association	TAPS	Teenage Attitudes and Practices
NMFS	National Mortality Followback Survey		Survey
		TAPS-II	Teenage Attitudes and Practices Survey II
NMIHS	National Maternal and Infant Health Survey		
		UNCF	United Negro College Fund
OR	odds ratio	USDHEW U.S. Department of Health,	
PUSH	People United to Save Humanity	Education, and Welfare	
RFLP	restriction fragment length polymorphism	USDHHS	U.S. Department of Health and Human Services
RWJF	The Robert Wood Johnson Foundation	YRBS	Youth Risk Behavior Survey